




- CODED NOTES**
- Existing telecommunications space to be removed.
  - Existing reusable floor penetrations.
  - Existing Voice ONLY telecommunication room panel. After cutover, voice station cable to be removed.
  - Proposed new telecommunication room.
  - Two each of VGA/HDMI/3.5 cables in ceiling installed near projector, gang to two separate locations within the room. Stations for all (3) devices will be installed at projector with twisted to conceal as much as possible below the ceiling.
  - Existing equipment that needs relocated in coordination with IT Department to 15% then cables, racks, components and related miscellaneous to that location needs removed.
  - HUIS security system location, make sure cross is moved and equipment is checked before removing old cable. \*See scope of work for more information.
  - Proposed new camera position with a 30' cut left in ceiling.
  - Prior to hanging any supports in the hallways please contact John Franks with Engineering.
  - Relocate 36 Strand Dial Fiber from TR1 to Proposed TR1.
  - Elevator phones, we are to terminate on a jack for testing then remove for elevator technician to hardware into system.

**LEGEND**

	SINGLE DATA OUTLET
	DUPLEX DATA OUTLET
	QUAD DATA OUTLET
	6 POSITION DATA OUTLET
	SINGLE WALL PHONE OUTLET
	SINGLE DATA TIME CLOCK OUTLET
	SINGLE DATA WIRELESS ACCESS POINT
	SINGLE NURSE CALL OUTLET
	DUPLEX NURSE CALL OUTLET
	DUPLEX PHYSIO OUTLET
	QUAD PHYSIO OUTLET
	SINGLE TV OUTLET
	SURFACE MOUNT RACEWAY
	WORK AREA OUTLET ON FURNITURE
	ABOVE CEILING MOUNT
	COMMUNICATION DROP POLE
	SINGLE VGA OUTLET
	PROJECTOR
	SECURITY CAMERA



**MEMORIAL HOSPITAL**  
 715 SOUTH TAFT AVENUE  
 FREMONT, OHIO  
 THIRD FLOOR  
 TELECOMMUNICATIONS PLAN

0 8 16 32  
 02 NOV 2011